

EAST Search History

S48	2	"20050187912" and value	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/10/14 22:26
S49	2	"20050187912" and value and node	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/10/14 22:26
S50	1	"20050187912" and value and node and (id identifier oid)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/10/14 22:26
S51	9	(tree with (configuration adj data) and (configuration with data with (application client))) and (manag\$6 with application with (process component element)) and (mark\$1up xml) and (e\$1mail (electronic adj mail))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/10/14 22:34
S52	0	(tree with (configuration adj data) and (configuration with data with (application client))) and (mark\$1up xml) and (e\$1mail (electronic adj mail)) and (node with value with (identifier id oid)) and ((application client) with (processes elements components))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/10/14 22:36
S53	0	(tree with (configuration adj data) and (configuration with data with (application client))) and (mark\$1up xml) and (e\$1mail (electronic adj mail)) and (node with value with (identifier id oid))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/10/14 22:36
S54	1	(tree with (configuration adj data) and (configuration with data with (application client))) and (mark\$1up xml) and (node with value with (identifier id oid))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/10/14 22:37

EAST Search History

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
L1	6	"707"/102.ccls. and (tree with (configuration adj data)) and (xml mark\$1up) and value and (application with (component process element)) and query	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/10/15 00:14
L2	2	"20040158583" and (tree with configuration)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/10/15 00:33
L3	1	"20040158575" and (tree with configuration)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/10/15 00:35
L4	0	"20040158575" and (tree with configuration with value)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/10/15 00:33
L5	2	"20010034771" and (tree with configuration)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/10/15 00:35
L6	2	"20010034771" and (tree with configuration with (value data))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/10/15 00:45
L7	2	"20010034771" and (data with type)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/10/15 00:41

EAST Search History

L8	2	"20010034771" and (schema)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/10/15 00:41
L9	2	"20010034771" and ((tree with configuration) same (value data))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/10/15 00:47
L10	2	"20010034771" and (value and (identifier id oid key))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/10/15 00:50
L11	2	"20010034771" and (query with (register\$3 insert\$4 new))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/10/15 00:52
L12	2	"20010034771" and (query and (register\$3 with (node component application process element)))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/10/15 00:59
L13	2	"20010034771" and (e\$1mail)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/10/15 00:55
L14	2	"20010034771" and (xml) and schema	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/10/15 01:02

EAST Search History

L15	2	"20010034771" and (node with (link\$3 reference))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/10/15 01:03
L16	2	"20010034771" and (tree with (link\$3 reference))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/10/15 01:26
L17	2	"20010034771" and (media medium)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/10/15 01:26
S1	22809	(configuration with manag\$6) and (data\$base repository (data adj (base or store)))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/02/01 11:34
S2	249	(hierarchical with configuration with manag\$6) and (data\$base repository (data adj (base or store)))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/02/01 11:34
S3	102	(hierarchical with configuration with manag\$6) and (data\$base repository (data adj (base or store))) and (component with application)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/02/01 11:35
S4	50	(hierarchical with configuration with manag\$6) and (data\$base repository (data adj (base or store))) and (component with application) and (xml or (mark\$up adj language))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/02/01 16:40

EAST Search History

S5	41	(hierarchical with configuration with manag\$6) and (data\$base repository (data adj (base or store))) and (component with application) and (xml or (mark\$up adj language)) and tree	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/02/01 11:35
S6	32	(hierarchical with configuration with manag\$6) and (data\$base repository (data adj (base or store))) and (component with application) and (xml or (mark\$up adj language)) and tree and (notif\$7 with update)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/02/01 11:38
S7	50	(hierarchical with configuration with manag\$6) and (data\$base repository (data adj (base or store))) and (component with application) and (xml or (mark\$up adj language))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/02/01 11:38
S8	1	(hierarchical with configuration with manag\$6) and (data\$base repository (data adj (base or store))) and (component with application) and (xml or (mark\$up adj language)) and (dynamic with configuration with data)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/02/01 11:39
S9	368	(handl\$3 with configuration with data with application)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/02/01 11:40
S10	204	(handl\$3 with configuration with data with application) and node	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/02/01 11:40
S11	135	(handl\$3 with configuration with data with application) and node and (hierarch\$7 tree)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/02/01 11:41

EAST Search History

S12	15	(handl\$3 with configuration with data with application) and node and (hierarch\$7 tree) and (xml (mark\$up adj language))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/02/01 11:46
S13	567	(configuration with data with stor\$3 with (tree or registry))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/02/01 11:47
S14	437	(configuration with data with stor\$3 with (tree or registry)) and (node or key)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/02/01 11:48
S15	230	(configuration with data with stor\$3 with (tree or registry)) and ((node or key) with value)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/02/01 11:49
S16	68	(configuration with data with stor\$3 with (tree or registry)) and ((node or key) with value) and (xml or (mark\$up adj language))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/02/01 11:50
S17	50	(configuration with data with stor\$3 with (tree or registry)) and ((node or key) with value) and (xml or (mark\$up adj language)) and (application with component)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/02/01 11:50
S18	50	(configuration with data with stor\$3 with (tree or registry)) and ((node or key) with value) and (xml or (mark\$up adj language)) and (application with (component sub\$component))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/02/01 11:53

EAST Search History

S19	33	(configuration with data with stor\$3 with (tree or registry)) and ((node or key) with value) and (xml or (mark\$up adj language)) and (application with (component sub\$component)) and (interact\$4 with (component sub\$component))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/02/01 11:54
S20	7	(configuration with data with stor\$3 with (tree or registry)) and ((node or key) with value) and (xml or (mark\$up adj language)) and (application with (component sub\$component)) and (interact\$4 with (component sub\$component)) and (notif\$7 with update)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/02/01 12:06
S21	0	"20030204517" and configuration	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/10/14 22:13
S22	2	"20030204517"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/02/01 12:12
S23	0	"20030204517" and xml	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/02/01 12:16
S24	6895	(regist\$6 with interest)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/02/01 12:17
S25	793	(regist\$6 with interest) and (updat\$3 with manag\$6)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/02/01 12:18

EAST Search History

S26	334	(regist\$6 with interest) and (updat\$3 with manag\$6) and (configuration with data)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/02/01 12:18
S27	89	(regist\$6 with interest) and (updat\$3 with manag\$6) and (configuration with data) and (application near component)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/02/01 12:18
S28	55	(regist\$6 with interest) and (updat\$3 with manag\$6) and (configuration with data) and (application near component) and (xml)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/02/01 12:44
S29	2	"20030204517"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/02/01 12:46
S30	1	("2003/0204517").URPN.	USPAT	OR	OFF	2007/02/01 12:45
S31	2	"20030204517" and object	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/02/01 13:53
S32	2	"20050187912" and (configuration with value)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/02/01 16:11
S33	1	"20050187912" and (parameter)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/02/01 14:52

EAST Search History

S34	1	"20030204517" and (parameter)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/02/01 14:52
S35	1	"20050187912" and (storage with medium)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/02/01 16:13
S36	1	"20050187912" and (storage adj medi\$3)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/02/01 16:13
S37	12	"707"/.cccls. and (hierarchical with configuration with manag\$6) and (data\$base repository (data adj (base or store))) and (component with application) and (xml or (mark\$up adj language))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/02/01 16:41
S38	1304	tree with configuration with data	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/10/14 22:13
S39	248	tree with (configuration adj data)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/10/14 22:58
S40	96	tree with (configuration adj data) and (configuration with data with (application client))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/10/14 22:14

EAST Search History

S41	28	tree with (configuration adj data) and (configuration with data with (application client)) and (manag\$6 with application with (process component element))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/10/14 22:16
S42	14	tree with (configuration adj data) and (configuration with data with (application client)) and (manag\$6 with application with (process component element)) and (mark\$1up xml)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/10/14 22:16
S43	14	(tree with (configuration adj data) and (configuration with data with (application client))) and (manag\$6 with application with (process component element)) and (mark\$1up xml)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/10/14 22:30
S44	2	"20050187912"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/10/14 22:26
S45	0	"20050187912" and (node with value with identifier)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/10/14 22:25
S46	0	"20050187912" and (node with value) and identifier	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/10/14 22:25
S47	0	"20050187912" and node and value and identifier	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/10/14 22:26

EAST Search History

S55	1	(tree with (configuration adj data)) and (mark\$1up xml) and (node with value with (identifier id oid))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/10/14 22:37
S56	26	(tree with (configuration adj data) and (configuration with data with (application client))) and (mark\$1up xml)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/10/14 22:40
S57	10	(tree with (configuration adj data) and (configuration with data with (application client))) and (mark\$1up xml) and ((modif\$7 updat\$3 chang\$3) with (value node))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/10/14 22:41
S58	7	(tree with (configuration adj data) and (configuration with data with (application client))) and (mark\$1up xml) and ((modif\$7 updat\$3 chang\$3) with (value node)) and ((web adj service) e\$1mail "e mail" or (electronic adj mail))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/10/14 22:52
S59	7	(tree with (configuration adj data) and (configuration with data with (application client))) and (mark\$1up xml) and ((modif\$7 updat\$3 chang\$3) with (value node)) and ((web adj service) e\$1mail "e mail" or (electronic adj mail)) and (configuration with value)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/10/14 22:52
S60	49	"707"/.cccls. and tree with (configuration adj data)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/10/14 22:58
S61	16	"707"/102.ccls. and tree with (configuration adj data)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/10/14 22:58

EAST Search History

S62	7	"707"/102.ccls. and (tree with (configuration adj data)) and (xml mark\$1up)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/10/14 23:00
S63	0	"707"/102.ccls. and (tree with (configuration adj data)) and (xml mark\$1up) and (node with value)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/10/14 23:01
S64	7	"707"/102.ccls. and (tree with (configuration adj data)) and (xml mark\$1up) and value	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/10/14 23:04
S65	7	"707"/102.ccls. and (tree with (configuration adj data)) and (xml mark\$1up) and value and (application with (component process element))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/10/15 00:31